

# **ABOUT US**

UNC International is a dental zirconia manufacturer founded in 2013.

We work hard with professional knowledge and sales skills with the aim of manufacturing the world's best zirconia. As a result, we have grown to more than 50% market share in Korea.

Now we're heading to the global market with our technology and vision.

# **OUR VALUES**

#### **People Centered**

At UNC we understand the importance of not just health but also beauty. We invent products not just for those in need of medical reconstruction, but also those looking to upgrade their smiles.

#### **Dedicated to Our Service**

Our dedicated team members are ready to answer any questions or concerns via phone or email, and handle any issues whether it be domestic or abroad.

#### Innovating the Future Market


We are focused on creating new, never seen before Zirconia products. We hope to become the future of dental health and beauty and are making steps towards that.




## **GLOBAL PARTNERS**



# **PRODUCT LIST**





## **EVEREST 3D MULTILAYER UVS**



Anterior Crown

Posterior

Crown

Full Arch

EVEREST Multilayer Universal Speed (UVS) combines our latest multilayer zirconia technology to create a strong but transparent material with no compromise to shade stability in both speed and normal sintering. Suitable for single crowns and full arches, no variation in translucency or strength.

	Translucency	Strength	<b>Block Size</b>
Incisal			
			Ø 95, 98
	48%	900MPa	12mm
	47%	1000MPa	14mm 16mm
	46%	1100MPa	18mm 20mm
	45%	1150MPa	22mm 25mm 30mm
			JUIIIII


Cervical

#### **Sintering Schedule**

UVS Speed mode Max. temp: 1530°C Total hours: About 40min



UVS Normal mode Max. temp: 1530°C Total hours: About 4hr



#### Shades

A1, A2, A3, A3.5 B1, B2, B3 C1, C2, C3 D2, D3 BL1, BL3

14 Shades

10min 7min 10min 10min

#### Why EVEREST Multilayer UVS?

- Fast sintering zirconia
- 30 minute sintering cycle (based on single crown)
- Same results in both Normal and Speed sintering
- Same results in wide MAX temperature range (1500°C-1560°C)
- Flexural strength, translucency, and shade stability
- For all indications (single crown to full arch, anterior and posterior)

#### 4 Hour 30 Minute Sintering Sintering



EVEREST MULTILAYER UVS



OTHER MULTILAYERS



# 

#### EVEREST Volcan Speed

Paired with EVEREST Multilayer UVS, sinter a crown in only 30 minutes and full arch in only 4 hours.

- 30 minute speed sintering mode
- Normal sintering- 2 layer tray capacity (90 Ø)
- Speed sintering- Maximum 5ea crowns
- Shade stability and consistency
- High purity and heat durability

#### Zirconia Pre-Polishing Felt

Paired with EVEREST Multilayer UVS and EVEREST Volcan Speed, finish restorations within one visit.

- Designed for polishing zirconia before sintering
- Pre-polishing can save up to 30 minutes
- Under 1 minute for a single crown

# **EVEREST 3D MULTILAYER AT**




Veneer

Anterior Bridge

Crown

EVEREST Multilayer AT is a very high transparency multilayer zirconia designed for aesthetic prosthetics in the anterior region.



Cervical

Sintering Schedule	Shades	Block Size
Max. temp: 1530°C Total hours: About 5hr	A1, A2, A3, A3.5, A4 B1, B2, B3, B4	Ø 95, 98
1530°C 1300°C to the 2hr last the state of t	C1, C2, C3, C4 D2, D3, D4 BL1, BL3	12mm 14mm 16mm 18mm 20mm
60min 30min 30min 120min 75min	18 Shades	22mm 25mm 30mm

## **EVEREST 3D MULTILAYER PT**

EVEREST Multilayer PT is a high-strength aesthetic multilayer zirconia designed for large size prosthetics and posterior crowns that need the strength to resist strong biting pressures.

Translucency

. . . . .



Incisal

.... 1100MPa 46% 46% 1100MPa 1250MPa 44% 1250MPa 44%

**:**....

Strength

#### Cervical

Sintering Schedule	Shades	<b>Block Size</b>
Max. temp: 1530°C Total hours: About 5hr	A1, A2, A3, A3.5, A4	Ø 95, 98
1530°C 1300°C c 2hr 2hr 1000°C c 2hr	B1, B2, B3, B4 C1, C2, C3, C4 D2, D3, D4 BL0, BL1, BL2, BL3	12mm 14mm 16mm 18mm 20mm
	20 Shades	22mm 25mm
60min 30min 30min 120min 75min		30mm



Posterior Posterior Crown Bridge


All on 4

### **RAZOR 800**



Razor 800 is a zirconia disc with a flexural strength of 800 MPa, a very highly transparent single layer zirconia designed for anterior restorations.

Strength




Translucency

Sintering Schedule	Shades	<b>Block Size</b>
Max. temp: 1530°C Total hours: About 5hr	A0, A1, A2, A3,	Ø 95, 98
1530°C 1300°C rc. de 2hr 1000°C de 1000°C (1000°C (100°C (100°C (1000°C (100°C (1000°C (1000°C (1000°C (1000°C (1000°C (100°C (100°C (100°C (100°C (10	A3.5, A4 B1, B2, B3, B4 C1, C2, C3, C4 D2, D3, D4	10mm 20mm 12mm 22mm 14mm 25mm 16mm 30mm 18mm
	17 Shades	

60min 30min 30min 120min 75min

## **RAZOR 1100**

RAZOR 1100 is a versatile zirconia disk that can be used for both anterior and posterior restorations. It allows high quality prosthetics to be produced with a strong flexural strength of 1100 MPa and a high transparency of about 46%.



Sintering Schedule	Shades	<b>Block Size</b>
Max. temp: 1530°C Total hours: About 5hr	A0, A1, A2, A3, A3.5, A4 B1, B2, B3, B4 C1, C2, C3, C4 D2, D3, D4 BL1, BL3	Ø 95, 98 10mm 2 12mm 2 14mm 2 16mm 3 18mm



60min 30min 30min 120min 75min

19 Shades


20mm

22mm

25mm


30mm

## **RAZOR 1300**



RAZOR 1300 is a high-strength zirconia disc with a very strong flexural strength of 1300 MPa. You can use this to make full-arch cases and copings very safe and beautiful.

Strength



Translucency


Sintering Schedule	Shades	Block Size
Max. temp: 1530°C Total hours: About 5hr	A0, A1, A2, A3,	Ø 95, 98
1530°C 1300°C rc. de 2hr 1000°C de 1000°C (1000°C (100°C (100°C (1000°C (1000°C (1000°C (1000°C (1000°C (1000°C (100°C (1000°C (100°C (10	A3.5, A4 B1, B2, B3, B4 C1, C2, C3, C4 D2, D3, D4	10mm 20mm 12mm 22mm 14mm 25mm 16mm 30mm 18mm
	17 Shades	

60min 30min 30min 120min 75min

## **RAZOR CAP**

RAZOR CAP is a dedicated product for zirconia coping production. It has a flexural strength of 1400 MPa, and can be used for single caps to full arch's. This product can also be used in cases where you need to cover inner color, such as discolored teeth or to coat an implant abutment.

Strength



Translucency

Sintering Schedule	Shades	Blo
Max. temp: 1530°C Total hours: About 5hr	A0 (WHITE)	Ø 95
1530°C 1300°C rcl <sup>ma</sup> 2hr 1000°C s <sup>bC</sup>		10m 12m 14m 16m 18m

Block Size			
Ø 95, 98			
10mm 12mm 14mm 16mm 18mm	20mm 22mm 25mm 30mm		

. ...



## **EVEREST VOLCAN SPEED**

EVEREST Volcan Speed was developed and optimized for the production of one-day zirconia prosthetics. Quickly sintered zirconia prosthetics can be produced in 40 minutes from room temperature to sintering completion. It can also be used with a normal sintering function. (A two-layer tray is also available).

Used with UNC's fast-sintering multi-layer zirconia block Everest Universal Speed (UVS) to see the best results.

#### **Machine Specifications**

Body Size :	270 x 335 x 565mm
Body Chamber :	100 x 100 x 80mm
Max. Temp. :	1600°C (2912°F)
Heater :	Super-kanthal
Power* :	AC 220V, 50/60Hz, 15A



\* Power supply specifications can be adjusted to match that of desired country at buyers request.

# **ZIR GUIDE**

# **COLORING LIQUID**

The ZIR GUIDE is a zirconia shade guide created from our EVEREST Multilayer AT zirconia block.

The ZIR GUIDE comes in 18 colors, including the bleach colors BL1 and BL3. By using our own products and real zirconia for our shade guide, we are able to guarantee accurate shades throughout our line, with even easier matching.

The ZIR GUIDE can also be used with other EVEREST zirconia blocks such as PT and UVS, as the colors are made identically.







After setting

Patient shade matching



EVEREST Coloring Liquid is a universal coloring liquid that can be used on any zirconia disks. It is suitable for various clinical aesthetic cases and creates a beautiful and natural finishing product.\*

Effect	Dentin	
Incisal	Al	B4
Blue	A2	C1
Gray	A3	C2
Violet	A3.5	C3
Orange	A4	C4
Brown	B1	D2
White	B2	D3
Pink	B3	D4
Opaque		

\* Both dipping and brushing is applicable. User is responsible for application method and testing.



UNC International

Ø

uncinternational\_kr



@uncint



www.uncint.com



marketing@uncint.net

TEL: +82-2-864-7715 FAX: +82-2-864-7713 Seoul Office Room 718, 28, Digital-ro 30-gil, Guro-gu, Seoul, Korea

Head Office 106-11 Beomjigi-ro, Danwon-gu, Ansan-si, Korea

\* Product packaging and design is subject to change.