

AQUALITY® HRRO INCREASE YOUR WATER EFFICIENCY



HRRO® REFERENCES APPLICATIONS

Pilot rental application for:


- Bio effluent reuse
- Drinking water production
- Polishing step: PFAS, pesticides, micropollutants, chorides, nitrates etc
- Brine concentrator





Drinking water production center Diksmuide, HRRO from 70% up to 93% recovery for last polishing step for drinking water quality.





Drinking water production center Egypt, HRRO as brine concentrator on an existing RO to increase recovery up to 90 %.

HIGH RECOVERY RO TO INCREASE YOUR WATER RECOVERY





- 1. Chemical storage room
- 2. Pressure vessels: 3 PV with 5 menbranes/PV
- 3. Recycle pump
- **4.** HRRO* high pressure pumps
- 5. CIP tank
- 6. Feed pump
- 7. Feed tank

* HRRO = HIGH RECOVERY RO

CHARACTERISTICS

- 📕 Up to 90% recovery range 🍊
- Reducing waste
- Plug & Play →•>
- SmartLab[®] advanced control
- Standard 40ft high cube shipping container 🗊
- Resilience & reliability
- Reduced scaling, fouling, clogging
- 4 to 6x less frequent cleanings
- Longer membrane lifespan
- Optimized utilization of the treatment capacity
- Try before you buy

LOOKING FORWARD TO SHARING MORE INSIGHTS



HANNAH VANDEWIELE Growth Leader Water recovery hannah.vandewiele@waterleau.com More info on HRRO water recovery? Check our Colruyt video case. Learn how Belgium's largest retailer cuts down the water footprint with HRRO.



EVERY DROP COUNTS



Nieuwstraat 26, 3150 Wespelaar (Haacht), Belgium T. +32 16 650 657 - info@waterleau.com - www.waterleau.com