

FOR THE TOUGHEST POOL ENVIRONMENT



THE PROFESSIONAL'S
#1 CHOICE

PRODUCTS' TECHNICAL INFORMARION SHEET 2024



**Aquality chemicals are crafted
to deliver superior performance even in the most
demanding conditions.**

**Setting standards in pool and spa care with innovative
solutions and uncompromising quality.**

Where passion and science converge.

THE PROFESSIONAL'S No1 CHOICE



INFORMATION SHEET

NATURAL PRODUCTS / CLARIFIERS

aqualitypoolcare.com



THE
PROFESSIONAL'S
#1 CHOICE

CRYSTAL CLEAR

Highly concentrated biodegradable water clarifier made from natural sources. Cannot be overdosed. Use weekly or more often depending on bather load and clarity of water. Works with glass, sand and diatomaceous earth filters.

MAINTENANCE TREATMENT

For a 50m³ pool, mix 100ml of Crystal Clear in a bucket of water and distribute around the perimeter of the pool. Use weekly and backwash regularly. Always ensure correct water balance.

CLOUDY POOLS

Backwash and rinse filter according to manufacturer's instructions. Ensure all chemical balances are correct. For a 50m³ pool add 300ml of Crystal Clear to a bucket of water and distribute around the pool. If problem remains repeat the same procedure again and either shock your pool with a chlorine based product or use Shock 'n' Swim to eradicate all chloramines present in the water.

POOL BALANCING


Always ensure that your pool is correctly balanced

- **Chlorine:** 1-2ppm
- **pH Levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm

SAFETY MEASURES

- After eye contact: Rinse out with plenty of water with eyelid held wide open. Call a physician
- After skin contact: Wash off with plenty of water
- Remove contaminated clothing
- After ingestion: In case of indisposition call a physician
- Keep away from children
- Store in a dry place away from direct sunlight and heat
- Never mix with any other chemical
- Please use all pool chemicals responsibly and consider the environment.

PRODUCT CONTAINS: Specialty Formulated Chitosan Blend



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	50,000	75,000	100,000
WEEKLY DOSAGE (ml) ΕΒΔΟΜΑΔΙΑΙΑ ΔΟΣΟΛΟΓΙΑ (ml)	100	150	200
DOSE RATE FOR CLOUDY POOLS (ml) ΔΟΣΟΛΟΓΙΑ ΓΙΑ ΘΟΛΕΣ ΠΙΣΙΝΕΣ (ml)	300	450	600

THE PROFESSIONAL'S #1 CHOICE

METAL CLEAR

Made from Natural sources and is highly concentrated to remove metals from Pool Water. 100% biodegradable and will help to eliminate purple line caused by Copper staining. Works with all types of sanitizers including salt water systems.

DOSAGE

For a 50m³. Clean pool as normal and backwash filter as per manufacturer's instructions. Ensure all balances are correct. Brush all areas of the pool especially stained areas. Add 500ml of METALCLEAR to a bucket of water and distribute around the perimeter of the pool. Run pool pump for 4 Hours and then switch off. After 24 hours vacuum the pool to waste and then backwash filter. Return pool to normal filtration. If staining returns repeat again.

POOL BALANCING

Always ensure that your pool is correctly balanced:

- **Chlorine:** 1-2ppm
- **pH Levels:** 7.2-7.6
- **Cyanuric Acid (Stabilizer):** 30-80ppm

SAFETY PRECAUTIONS

- After eye contact: Rinse out with plenty of water with eyelid held wide open. Call a physician.
- After skin contact: Wash off with plenty of water. Remove contaminated clothing.
- After ingestion: In case of indisposition call a physician.
- Keep away from children
- Store in a dry place away from direct sunlight and heat
- Never mix with any other chemical
- Please use all pool chemicals responsibly and consider the environment.

PRODUCT CONTAINS: Specialty formulated Chitosan Blend



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (λτρ)	50,000	75,000	100,000
NORMAL USE (ml) ΔΟΣΟΛΟΓΙΑ (ml)	500	750	1000

INFORMATION SHEET

NATURAL PRODUCTS / SPECIALITY CHEMICALS

aqualitypoolcare.com



THE
PROFESSIONAL'S
#1 CHOICE

OIL OUT

Concentrated Oil removal product. Natural and 100% Biodegradable. Protects your pool from Grease and Suntan oil. When used regularly Oil Out will help keep pool sides and water surface free from oil and stain build up, plus aids filter efficiency.

DOSAGE

- Add 250ml of Oil Out (for a 50m³ pool) to a bucket of water and distribute around the perimeter of the pool.
- Run pool filtration for at least 8 hours.
- Clean pool and backwash as per manufacturers instructions.
- If oil is still present repeat the process.
- Cannot be overdosed. Use regularly for best results especially during heavy bather loads.

POOL BALANCING

Always ensure that your pool is correctly balanced:

- **Chlorine:** 1-2 ppm
- **pH Levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm

SAFETY PRECAUTIONS

- After eye contact: Rinse out with plenty of water with eyelid held wide open. Call a physician.
- After skin contact: Wash off with plenty of water. Remove contaminated clothing.
- After ingestion: In case of indisposition call a physician.
- Keep away from children.
- Store in a dry place away from direct sunlight and heat.
- Never mix with any other chemical.
- Please use all pool chemicals responsibly and consider the environment.

PRODUCT CONTAINS: Specially formulated Chitosan Blend.



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	50,000	75,000	100,000
NORMAL USE (ml) ΔΟΣΟΛΟΓΙΑ (ml)	250	500	750

THE PROFESSIONAL'S #1 CHOICE

PHOSOUT

Phosphates are a source of food for algae. By removing phosphates from the pool water dramatically reduces algae blooms. Phos OUT enhances pool water clarity and works with all pool sanitizers.

DIRECTIONS FOR USE:

- Ensure pool is correctly balanced
- If the pool has Algae present, treat with one of Aquality Pool Care Algaecides. Follow the instructions on the product you are using
- Back wash Filter according to manufacturer's instructions
- Set filtration pump to 24 hours
- Add correct amount of PhosOut to skimmers (see dosage box below)
- For best results add Aquality Wonder Gel to pump basket. This will reduce any cloudiness to water if it occurs
- After 24-48 hours of continuous filtration backwash filter.
- Check phosphates again and repeat the process if necessary.
- Return filtration system back to timer when phosphate levels are under control

IMPORTANT: Algae must be treated prior to testing and lowering phosphates. Chlorine must be under 5ppm before testing phosphates.

POOL BALANCING

- **Chlorine:** 1-2ppm
- **pH:** 7.2-7.6
- **Stabiliser:** 30-50ppm

STATEMENTS

P101 If medical advice is needed, have product label container or label ready **P102** Keep out of reach of children **P103** Read Label before use **H315** Causes skin irritation **H319** Causes serious eye irritation **H335** May cause respiratory irritation.

PRECAUTIONARY STATEMENTS

P261 Avoid breathing dust / fume / gas / mist / vapours / spray **P280** Wear protective gloves/protective clothing/eye protection/face protection **P305 + P351 + P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **P304 + P340** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing **P405** Store locked up **P501** Dispose of contents / container in accordance with local / regional / national / international regulations.

PRODUCT CONTAINS: Lanthanum Chloride

POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	25,000	50,000	75,000
NORMAL USE (ml) ΔΟΣΟΛΟΓΙΑ (ml)	500	1000	1500



* AVAILABLE IN 5LTR

INFORMATION SHEET

SPECIALITY CHEMICALS

aqualitypoolcare.com



THE
PROFESSIONAL'S
#1 CHOICE

MAGIC CLEANER

Cleans grease and pollutants from pool sides. New foaming formula allows the product to sit longer on the pool side allowing better cleaning penetration. Will not effect pH or balancing of water. Can be used on BBQ grates.

DIRECTIONS

Spray area and leave for a few minutes then gently wipe off with a cloth or sponge. Always test a discreet area first and do not leave product to dry. Never use abrasive materials on liner surfaces. Direct sunshine and lack of frequent cleaning can cause liners to become ingrained and stained, so use MAGIC Cleaner frequently to avoid heavy build-up of grease and other pollutants. Be careful when using this product. Suitable eye protection and gloves are highly recommended

PRODUCT CONTAINS: Caprylyl / Capryl Glucoside, sodium hydroxide, tetrasodium ethylenediaminetetraacetate



* AVAILABLE IN 5LTR

AQUALITY INCORPORATED LTD

TELEPHONE (+357) 26 220 678 EMAIL info@aqualitypoolcare.com ADDRESS 1 Roumelis Street, Mesoyi Road, Pafos - Cyprus

INFORMATION SHEET

CLARIFIER

aqualitypoolcare.com



THE PROFESSIONAL'S
#1 CHOICE

CALIFORNIA CLEAR BLUE

Super concentrated Pool Clarifier that polishes your pool water with exceptional and fast results. Can be used with sand, zeolite and glass filters and will not affect pool water balance.

MAINTENANCE DOSAGE

- For a 50m³ pool, add 100ml of California Blue in a bucket of water and distribute around the perimeter of the pool.
- Use weekly and backwash regularly.
- Always check and keep your pool balanced.

CLOUDY POOLS

- Backwash and Rinse filter according to manufacturers instructions
- Always ensure pool balancing is correct.
- Shock Pool with Aquality Pool Care Shock 'n' Swim or a Chlorine based product.
- For a 50m³ add 300ml of California Blue to a bucket of water and distribute around the pool.
- Run your pool pump overnight (preferably 24 hours).
- Backwash and rinse filter.
- If problem persists repeat the procedure again.

POOL BALANCING

Always ensure that your pool is correctly balanced.

- **Chlorine:** 1-2ppm
- **pH Levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm

SAFETY PRECAUTIONS

- Keep away from children.
- Store in a dry place away from direct sunlight and heat.
- Do not mix with any other chemical.
- Please use all pool chemicals responsibly and consider the environment.

PRODUCT CONTAINS: Poly(diallyldimethylammonium chloride)



* AVAILABLE IN 5LTR

POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	50,000	75,000	100,000
WEEKLY DOSAGE (ml) ΕΒΔΟΜΑΔΙΑΙΑ ΔΟΣΟΛΟΓΙΑ (ml)	100	150	200
DOSE RATE FOR CLOUDY POOLS (ml) ΔΟΣΟΛΟΓΙΑ ΓΙΑ ΘΟΛΕΣ ΠΙΣΙΝΕΣ (ml)	300	450	600

INFORMATION SHEET

ALGAECIDE

aqualitypoolcare.com



THE
PROFESSIONAL'S
#1 CHOICE

ALGAECIDE COPPER PLUS

One of the strongest Algecides available. Will help kill green, mustard and pink algae. Copper based formula and highly concentrated. Long term effect.

DOSAGE: VISIBLE ALGAE GROWTH

- Backwash and rinse filter according to manufacturer's instructions
- Shock pool with a Chlorine based product.
- For a 50m³ pool dilute 300ml of Copper Plus Algaecide in a bucket of water and distribute around the perimeter of the pool.
- Run the pool for at least 8 hours. The next day thoroughly clean the pool and backwash again.
- Repeat if algae is still present.
- Swimmers should only return to the pool when all chemical levels are back to normal, no algae is present and pool is clear.

DOSAGE: MAINTENANCE

Add 100ml of Copper Plus Algaecide to water and distribute around the pool every two weeks.

POOL BALANCING


Always ensure your pool is correctly balanced.

- **Chlorine:** 1-2ppm
- **pH levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm

SAFETY PRECAUTIONS

Keep Away from Children / Do not Drink / Keep Away from Heat / Store in a Cool Dry Place Locked Away / Causes Severe Eye Irritation / Toxic to Aquatic Life / Avoid Release to the Environment / Wear Protective Gloves, Protected Clothing and Eye Protection / If on Skin Immediately Wash With Plenty of Water / If in Eyes: Rinse With Plenty of Water for Several Minutes and Remove Contact Lenses. Continue Rinsing / If Skin Irritation Occurs Seek Medical Advice / Never Mix With Other Chemicals / In an Emergency Show Label / Use Chemicals Responsibly

PRODUCT CONTAINS: Copper Sulphate 156g/LITRE AND 7g/ litre Methanamine, Nimethyl-, plymer with 2-(chloromethy) oxiane. SL Soluble concentrate



* AVAILABLE IN 5LTR

POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	50,000	75,000	100,000
WEEKLY DOSAGE (ml) ΕΒΔΟΜΑΔΙΑΙΑ ΔΟΣΟΛΟΓΙΑ (ml)	100	150	200
DOSE RATE ALGAE PRESENT (ml) ΔΟΣΟΛΟΓΙΑ ΓΙΑ ΠΡΑΣΙΝΕΣ ΠΙΣΙΝΕΣ (ml)	300	450	600

INFORMATION SHEET

ALGAECIDE

aqualitypoolcare.com



THE
PROFESSIONAL'S
#1 CHOICE

ALGAECIDE POWER PLUS

Super concentrated Algaecide. Helps Kill green Algae and bacteria. Power Plus Includes an added clarifier to help remove dead algae and other floating contaminants. NON-Copper formula.

DOSAGE IF ALGAE IS PRESENT

- Backwash and rinse pool according to manufactures Instructions.
- Ensure your pH is 7.2-7.6
- Shock pool with Shock 'n' Swim or a chlorine based product as per manufacturer's instructions.
- Add 300ml of Algaecide Powerplus per 50m³ to a bucket of water and distribute around the perimeter of pool.
- Run your pool pump for a minimum of 8 hours.
- Swimmers can return to the pool when all chemical levels are back to normal, no algae is present and pool is clear.

MAINTENANCE TREATMENT

- On a weekly basis add 100ml of Algaecide Powerplus in a bucket of water and distribute around the perimeter of the pool.
- This dosage is a guideline only as heavy bather load and fluctuating water temperatures will affect pool water characteristics.

POOL BALANCING

Always ensure that your pool is correctly balanced.


- **Chlorine:** 1-2ppm
- **pH Levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm

SAFETY PRECAUTIONS

Keep away from children / Causes severe eye burns & eye damage / Store locked up, in a dry place away from sunlight & heat / Do not mix with any other chemical / Do not drink / In Case of emergency, seek medical advice immediately & show label / Use all pool chemicals responsibly & consider the environment

PRODUCT CONTAINS: This substance is identified by SDA

Substance Name: benzyl-C12-18- alkyl dimethyl, chlorides, aluminium chloride hydroxide sulfate



* AVAILABLE IN 5LTR

POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	50,000	75,000	100,000
WEEKLY DOSAGE (ml) ΕΒΔΟΜΑΔΙΑΙΑ ΔΟΣΟΛΟΓΙΑ (ml)	100	150	200
DOSE RATE ALGAE PRESENT (ml) ΔΟΣΟΛΟΓΙΑ ΓΙΑ ΠΡΑΣΙΝΕΣ ΠΙΣΙΝΕΣ (ml)	300	450	600

THE PROFESSIONAL'S #1 CHOICE

BLACK ALGAECIDE

Black algae is an extremely resistant form of algae. Black Algaecide by Aquality Incorporated includes a combination formula to soften the outer casing and then penetrate the spores. Eventually killing the black algae. Will also kill persistent green and mustard algae. Long term effects.

INSTRUCTIONS

Insure correct water balancing

- **Chlorine:** 1-2ppm
- **pH:** 7.2-7.6
- **Stabilizer:** 30-80ppm

- Brush the pool area vigorously to help break down the black algae's protective layer and remove any loose deposits
- For a 50m³, dilute 500ml in a bucket of water and distribute around the perimeter of the pool
- Run the swimming pool pump for at least 8 hours
- Check chlorine levels and adjust if necessary
- Following treatment, after two days, brush the pool again and vacuum any settled algae deposits
- Reapply treatment again if necessary

HAZARD STATEMENTS

H302 Harmful if swallowed **H314** Causes severe skin burns and eye damage **H335** May cause respiratory irritation **H410** Very toxic to aquatic life with long lasting effects.

PRODUCT CONTAINS: 5-15% Cationic Surfactants, Benzalkonium Chloride, 5-15% 2-aminoethanol, 15-30% copper sulphate



* AVAILABLE IN 5LTR

POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	50,000	75,000	100,000
NORMAL USE BLACK ALGAE PRE-SENT (ml) ΔΟΣΟΛΟΓΙΑ (ml)	500	750	1000

INFORMATION SHEET

PH ADJUSTER

aqualitypoolcare.com



THE PROFESSIONAL'S #1 CHOICE

SODA ASH

pH is one of the critical tests in pool balancing. Soda ASH(pH PLUS) will help increase the pH level of the pool water.

DIRECTIONS

If your pH levels are below 7.2 then use Aquality Poolcare pH+ (Sodium Carbonate) to increase the pH. As a guideline, for a 1000L (1m³) Spa or Splash Pool, add 5g of pH+ to a bucket of water and pour into the water. Run pump for a few hours and test again the next day or at least 6 hours later. Repeat process until you reach the correct pH level. Always check your Total Alkalinity to help maintain correct pH levels.

POOL BALANCING

Always ensure that your pool is correctly balanced:

- **Chlorine:** 1-2ppm
- **pH levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm
- **Total Alkalinity:** 80-150

PRECAUTIONS

- Do not mix with other chemicals
- Irritating to eyes and do not breathe dust.
- Keep away from children, food and drink.
- In case of contact with eyes rinse with plenty of water and seek medical advice.
- If swallowed seek immediate medical advice and show this label.
- Store in a dry place and use suitable gloves and eye protection when using this product.



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (λτρ)	1000	1500	2000
NORMAL USE (gr) ΔΟΣΟΛΟΓΙΑ (gr)	5	7.5	10

INFORMATION SHEET

PH ADJUSTER

aqualitypoolcare.com



THE PROFESSIONAL'S #1 CHOICE

DRY ACID

pH is one of the critical tests in pool balancing. Dry Acid (pH minus) will help decrease the pH level of the pool water.

DIRECTIONS

If your pH levels are 7.8 and above then use Aquality Poolcare pH- (Sodium Bisulphate) to decrease the pH. As a guideline, for a 1000L spa/splash pool, add 5-10g of Aquality pH- to a bucket of water and distribute around the perimeter of the Pool. Never add pH- directly to the skimmers. After 6 hours test your water again and reapply if necessary. Always check your Total Alkalinity to help maintain correct pH levels.

POOL BALANCING

Always ensure that your pool is correctly balanced

- **Chlorine:** 1-2ppm
- **pH levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm
- **Total Alkalinity:** 80-150

PRECAUTIONS

- Do not mix with other chemicals
- Irritating to eyes and do not breathe dust.
- Keep away from children, food and drink.
- In case of contact with eyes rinse with plenty of water and seek medical advice.
- If swallowed seek immediate medical advice and show this label.
- Store in a dry place and use suitable gloves and eye protection when using this product.



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (λτρ)	1000	1500	2000
NORMAL USE (gr) ΔΟΣΟΛΟΓΙΑ (gr)	5	7,5	10

THE PROFESSIONAL'S #1 CHOICE

SHOCK'N'SWIM

Zero Chlorine Shock treatment. Fast Acting! Kills bacteria and chloramines within 15 minutes. Perfect for heavy bathing loads. Keeps pool safe and clean allowing any free chlorine in your water to do its job more effectively.

DIRECTIONS FOR USE

Ensure pool pump is running and no swimmers are present in pool. Add 500 grams of Shock n Swim per 50m³ of water (approx 8mx4m). During heavy bathing season add Shock n Swim weekly. Swimming can resume after 15 minutes of using product. For spas and small pools please see dosage chart.

POOL BALANCING

Always ensure that your pool is correctly balanced.

- **Chlorine:** 1-2ppm
- **pH Levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm

HAZARD STATEMENTS


H302 Harmful if swallowed **H314** Causes severe skin burns and eye damage **H334** May cause allergy or asthma symptoms or breathing difficulties if inhaled **H317** May cause an allergic skin reaction **H335** May cause respiratory irritation **H412** Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

P101 If medical advice is needed, have product container or label at hand **P102** Keep out of reach of children **P103** Read label before use **P303 + P361 + P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower **P305 + P351 + P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **P310** Immediately call a POISON CENTER / doctor **P321** Specific treatment (see on this label) **P362 + P364** Take off contaminated clothing and wash it before reuse **P405** Store locked up **P501** Dispose of contents / container in accordance with local / regional / national / international regulations.

ADDITIONAL INFORMATION

Contains dipotassium peroxodisulphate. May produce an allergic reaction.



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (λτρ)	1000	50,000	100,000
NORMAL USE (gr) ΔΟΣΟΛΟΓΙΑ (gr)	10-30	500	1000

INFORMATION SHEET

SPECIALITY CHEMICALS

aqualitypoolcare.com



THE PROFESSIONAL'S #1 CHOICE

SPA OXY SHOCK

- NON Chlorine, oxygen shock treatment with rapid results
- Destroys bacteria and other contaminates within 15 minutes
- Reduce Eye, Nose and Skin Irritation
- NON Bleaching
- Will not affect balancing

DIRECTIONS FOR USE

- Ensure SPA circulation pump is running and no bathers are present in the water and cover is off.
- Add 30 grams of SPA OXY SHOCK IN 1m³ (1000L) of water and run circulation pump for at least 15 minutes to gain full effect. SPA cover should be off.
- Use weekly or immediately after use to ensure clean and clear water.
- Will help sanitizers work more efficiently when used regularly.

SPA BALANCING

Always ensure that your pool is correctly balanced.

- **Chlorine:** 1-2ppm or Bromine 3-5ppm
- **pH:** 7.2-7.6.
- **Total Alkalinity:** 80-120ppm


SAFETY PRECAUTIONS

Keep out of reach of children / Harmful if swallowed / Causes severe skin burns and eye damage / May cause allergy or asthma symptoms or breathing difficulties if inhaled / May cause an allergic skin reaction / Harmful to aquatic life with long lasting effects / If medical advice is needed, have product container or label at hand / IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower / IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing - Immediately call a POISON CENTER/doctor / Store locked up / Dispose of contents/container in accordance with local/regional/national/international regulations.

ADDITIONAL INFORMATION

- Contains dipotassium peroxodisulphate.
- May produce an allergic reaction.

Contains: >30% Pentapotassium bis(peroxymonosulphate) bis(sulphate), 15%-30% sodium percarbonate, <5% Dipotassium peroxodisulphate,
Hazard-determining components of labelling:
pentapotassium bis(peroxymonosulphate)bis(sulphate)
disodium carbonate, compound with hydrogenperoxide (2:3)
dipotassium peroxodisulphate



SPA VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	1000
SHOCK DOSAGE (gr) ΔΟΣΟΛΟΓΙΑ (gr)	30

THE PROFESSIONAL'S
#1 CHOICE

ALGAECIDE 600 +CLARIFIER

Algaecide 600 with added clarifier will help kill and remove algae quickly. Use regularly in a regular maintenance program to help keep algae away. Zero Copper formula.

DOSAGE: IF ALGAE IS PRESENT

- Backwash and rinse pool according to manufactures instructions
- Ensure your pH is 7.2-7.6
- Shock pool with a chlorine based product as per manufacturer's instructions
- Add 2L of Algaecide 600 per 50m³ to a bucket of water and distribute around the perimeter of pool When no swimmers are present
- Run pool pump for a minimum of 8 hours
- Swimmers can return to pool when all levels are back to normal, no algae is present and water is clear

MAINTENANCE TREATMENT

- On a weekly basis add 500-750ml of Algaecide 600 to a bucket of water and distribute around the perimeter of the pool.
- This dosage is a guideline only as heavy bather load and fluctuating water temperatures will affect pool water characteristics.

POOL BALANCING

Always ensure that your pool is correctly balanced:

- **Chlorine:** 1-2ppm
- **pH Levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm

SAFETY PRECAUTIONS

Keep away from Children / DO NOT DRINK / Keep away from heat / Store in a cool dry place locked away / Causes severe eye irritation / Wear protective gloves, protected clothing and eye protection / If on skin immediately wash with plenty of water / If in eyes: Rinse with plenty of water for several minutes and remove contact lenses. Continue rinsing / If skin irritation occurs seek medical advice / Never mix with other chemicals / IN AN EMERGENCY SHOW LABEL / Use chemicals responsibly and consider the environment

PRODUCT CONTAINS: Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	50,000	75,000	100,000
WEEKLY DOSAGE (ml) ΕΒΔΟΜΑΔΙΑΙΑ ΔΟΣΟΛΟΓΙΑ (ml)	750	1000	1250
DOSE RATE FOR CLOUDY POOLS (ml) ΔΟΣΟΛΟΓΙΑ ΓΙΑ ΘΟΛΕΣ ΠΙΣΙΝΕΣ (ml)	2000	3000	4000

THE PROFESSIONAL'S #1 CHOICE

WONDER CLEAR PREMIUM

High Strength Combination clarifier. Clears cloudy water fast! Professional strength & professionals choice. Helps remove metals and sun tan oil from water too. Removes organic and Inorganic matter. Includes water polisher.

MAINTENANCE DOSAGE

- For a 50m³ pool, mix 500ml of Wonder Clear Premium in a bucket of water and distribute around the perimeter of the pool.
- Ensure all chemicals are correctly balanced.
- Use weekly to keep pools looking clear and bright.

CLOUDY POOLS

- Backwash and rinse filter according to manufacturer's instructions.
- Shock your pool with a chlorine based product or use Shock 'n' Swim to eradicate all chloramines present in the water.
- For a 50m³ pool, mix 1ltr of Wonder Clear Premium in a bucket of water and distribute around the perimeter of the pool.
- Run the pump for at least 8 hours, preferably overnight.
- Backwash Filter.
- If problem persists repeat the same procedure.

CORRECT POOL WATER BALANCE

Always ensure that your pool is correctly balanced:

- **Chlorine:** 1-2 ppm
- **pH Levels:** 7.2-7.6
- **Cyanuric Levels (Stabilizer):** 30-80ppm

PRODUCT CONTAINS: Poly(diallyldimethylammonium chloride)



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	50,000	75,000	100,000
WEEKLY DOSAGE (ml) ΕΒΔΟΜΑΔΙΑΙΑ ΔΟΣΟΛΟΓΙΑ (ml)	500	750	1000
DOSE RATE FOR CLOUDY POOLS (ml) ΔΟΣΟΛΟΓΙΑ ΓΙΑ ΘΟΛΕΣ ΠΙΣΙΝΕΣ (ml)	1000	1500	2000

THE PROFESSIONAL'S #1 CHOICE

PROFLOC

A drop and Vac Formula. Drops the debris allowing you to Vacuum to Waste, therefore by passing your filter.

DOSAGE: CLOUDY POOLS

- Ensure your pH is 7.2-7.6
- Shake container well before using ProFloc
- Set the pool filter to re-circulate
- Add 500ml of ProFloc per 30m³ to a bucket of water and distribute around the perimeter of pool.
- Run your pool pump for a minimum of 2 hours and then switch OFF the pump.
- Allow suspended particles within the pool to settle overnight.
- Vacuum to WASTE.
- Backwash filter.
- Repeat if necessary or return pool to Normal Filter Cycle.

POOL BALANCING

Always ensure that your pool is correctly balanced:

- **Chlorine:** 1-2ppm
- **pH Levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm

PRODUCT CONTAINS: Aluminum Sulphate.



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (ltr)	30,000	50,000	100,000
NORMAL USE (ml) ΔΟΣΟΛΟΓΙΑ (ml)	500	750	1500

THE PROFESSIONAL'S
#1 CHOICE

ALGAECIDE PRO

A very effective Algaecide which helps clear and prevents Green Algae. NON copper and NON Foaming formula.

DOSAGE: IF ALGAE IS PRESENT

- Backwash and rinse pool according to manufactures instructions.
- Ensure your pH is between 7.2-7.6.
- Shock pool with a chlorine based product as per manufactures instructions.
- Add 1L of Algaecide Pro per 50m³ to a bucket of water and distribute around the perimeter of pool when no swimmers are present.
- Run pool pump for a minimum of 8 hours.
- Swimmers can return to pool when all levels are back to normal, no algae is present and pool is clear.

MAINTENANCE TREATMENT

- On a weekly basis add 500ml of Algaecide Pro to a bucket of water and distribute around the perimeter of the pool.
- This dosage is a guideline only as heavy bather load and fluctuating water temperatures will affect pool water characteristics.

POOL BALANCING

Always ensure that your pool is correctly balanced:

- **Chlorine:** 1-2ppm
- **pH Levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm

SAFETY PRECAUTIONS

Keep Away From Children / Do Not Drink / Keep Away From Heat / Store in a Cool Dry Place Locked Away / Causes Severe Eye Irritation / Wear Protective Gloves, Protected Clothing and Eye Protection / If on Skin Immediately Wash With Plenty of Water / If in Eyes: Rinse With Plenty of Water for Several Minutes and Remove Contact Lenses. Continue Rinsing / If Skin Irritation Occurs Seek Medical Advice / Never Mix With Other Chemicals / In an Emergency Show Label / Use Chemicals Responsibly and Consider the Environment

PRODUCT CONTAINS: This substance is identified by SDA
Substance Name: benzyl-C12-18-alkyldimethyl, chlorides, aluminium chloride hydroxide sulfate



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (λτρ)	50,000	75,000	100,000
WEEKLY DOSAGE (ml) ΕΒΔΟΜΑΔΙΑΙΑ ΔΟΣΟΛΟΓΙΑ (ml)	500	750	1500
DOSE RATE ALGAE PRESENT (ml) ΔΟΣΟΛΟΓΙΑ ΓΙΑ ΠΡΑΣΙΝΕΣ ΠΙΣΙΝΕΣ (ml)	1000	1500	2000

THE PROFESSIONAL'S #1 CHOICE

TRIPLE ACTION ALGAECIDE

Algaecide, Bactericide and Clarifier all in one 5 litre container. Kills Green algae and waterborne bacteria such as E coli and Staphylococcus then removes the suspended organic and inorganic matter, leaving you with a fresh and beautiful pool. NON Foaming and NON Copper formula

IF ALGAE IS PRESENT

- Backwash and rinse pool according to manufacturer's instructions.
- Ensure you pH is between 7.2-7.6
- Shock pool with chlorine as per manufacturer's instructions.
- Add 1L of Triple Action per 50m³ to a bucket of water and distribute around the perimeter of the pool when no swimmers are present.
- Run pool pump for a minimum of 8 hours.
- Swimmers can return to the pool when all levels are back to normal, no algae is present and pool is clear.

MAINTENANCE TREATMENT

- On a weekly basis add 300-500ml of Triple Action to a bucket of water and distribute around the perimeter of the pool.
- This dosage is a guideline only as heavy bather load and fluctuating water temperatures will affect pool water characteristics.

POOL BALANCING

Always ensure that your pool is correctly balanced:

- **Chlorine:** 1-2
- **ppm pH Levels:** 7.2-7.6
- **Cyanuric Levels** (Stabilizer): 30-80ppm

SAFETY PRECAUTIONS

Keep Away From Children / Do Not Drink / Keep Away From Heat / Store In A Cool Dry Place Locked Away / Causes Severe Eye Irritation / Wear Protective Gloves, Protected Clothing And Eye Protection / If On Skin Immediately Wash With Plenty Of Water / If In Eyes: Rinse With Plenty Of Water For Several Minutes And Remove Contact Lenses. Continue Rinsing / If Skin Irritation Occurs Seek Medical Advice / Never Mix With Other Chemicals / In An Emergency Show Label / Use Chemicals Responsibly And Consider The Environment

PRODUCT CONTAINS: This substance is identified by SDA
Substance Name: benzyl-C12-18-alkydimethyl, chlorides, aluminium chloride hydroxide sulfate

POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (λτρ)	50,000	75,000	100,000
WEEKLY DOSAGE (ml) ΕΒΔΟΜΑΔΙΑΙΑ ΔΟΣΟΛΟΓΙΑ (ml)	300	450	600
DOSE RATE CLOUDY POOLS (ml) ΔΟΣΟΛΟΓΙΑ ΓΙΑ ΘΟΛΕΣ ΠΙΣΙΝΕΣ (ml)	1000	1500	2000



INFORMATION SHEET

ALGAECIDE

aqualitypoolcare.com



THE PROFESSIONAL'S
#1 CHOICE

WINTERIZER

Keep your pool clear during the winter months with this long term algaecide.

INSTRUCTIONS

- Ensure your pool pH is 7.2-7.6
- Clean pool thoroughly of all debris especially leaves
- Backwash and rinse filter
- Shock pool with Chlorine and run pump for 1 hour
- For pools up to 50m³ add 4 litres of Winterizer
- Run pump for at least 6 more hours, preferably overnight

Cover pool with a good quality pool cover and run your pump for at least 1 hour a day. This is a guideline only. If you are not covering your pool periodic checks of the water is necessary. Remove any leaves with net to avoid staining and add chlorine if needed.

SAFETY PRECAUTIONS

- Store in a dry place away from direct sunlight and heat
- Do not mix with any other chemical
- Please use all pool chemicals responsibly and consider the environment

PRODUCT CONTAINS: 50% Alky Dimethyl Benzyl Ammonium Chloride.



THE PROFESSIONAL'S #1 CHOICE

NATURAL CLEAR

NATURAL PRODUCT

Using nature's natural clarifier CHITOSAN, 6 in 1 Natural Clear will not only help keep your swimming pool water clean and crystal clear but will also help remove chloramines, bacteria, suntan oils and body fats. Allowing your sanitizer to work more efficiently. Works with all filtration media and sanitizers including salt water systems. Natural, NON Toxic and 100% biodegradable. Designed in Germany.

Always check that your water is correctly balanced
pH 7.2-7.6, **Chlorine levels** 1-2 ppm, **Stabilizer** 30-80 ppm

DIRECTIONS

For best results, always maintain a regular backwash program or if you have cartridge filters, insure they are regularly cleaned as per manufacturer's instruction.

Depending on the volume of your pool (see chart below), add the required amount of Natural clear directly to the pool on a weekly basis. Heavy bather load may benefit with dosing twice a week. This product cannot be overdosed as it will naturally biodegrade.

For swimming pools that have extremely heavy usage, such as Rental Villas, Communal Apartments, Hotels and water parks contact us at info@aqualitypoolcare.com regarding automatically dosing this product, to insure crystal clear pool water. We can offer you the perfect natural solution with incredible results.

CONTAINS: Propriety Natural Polymeric Formula



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (λτρ)	50,000	75,000	100,000
WEEKLY DOSAGE (ml) ΕΒΔΟΜΑΔΙΑΙΑ ΔΟΣΟΛΟΓΙΑ (ml)	375	525	750
CLOUDY POOLS DOSAGE (ml) ΔΟΣΟΛΟΓΙΑ ΓΙΑ ΘΟΛΕΣ ΠΙΣΙΝΕΣ (ml)	750	1050	1500

THE
PROFESSIONAL'S
#1 CHOICE

DUAL CONTROL



For the treatment, prevention, and clarification of Algae in small above ground pools. To prevent Algae from forming in the pool, always ensure correct water balance pH 7.2-7.6 Chlorine levels 1-2 ppm Stabilizer 30-80 ppm. For best results use Dual Action Algaecide on a weekly basis. Add the correct dosage when no bathers are present in the pool. Regularly clean the cartridge filter and vacuum pool floor. If Algae is present, Clean the filter as per manufactures instructions, brush the sides of the pool and vacuum the floor. Shock dose the pool with either Aquality Shock N Swim or a chlorine-based product and add the correct dosage of Dual Action Algaecide as per dosage table. Run the filtration pump overnight and repeat if pool still not clear and algae free. As a guide and depending on temperature of pool and bather load. Swim only if pool is clear and chlorine levels are within parameters.

HAZARD STATEMENTS

Causes severe skin burns and eye damage / Causes serious eye damage / If medical advice is needed, have product container or label at hand / Keep out of reach of children / Read carefully and follow all instructions / IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] / IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing / Immediately call a POISON CENTER/ doctor / Specific treatment (see on this label) / Store locked up / Dispose of contents / container in accordance with local / regional / national / international regulations.

Pool+SpaCare

MINI ΠΙΣΙΝΕΣ
SPLASH POOLS
+ SPA

POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (λτρ)	1000	3000	5000
WEEKLY MAINTENANCE (ml) ΔΙΑΤΗΡΗΣΗ (ml)	15	45	75
IF ALGAE PRESENT (ml) ΣΕ ΠΕΡΙΠΤΩΣΗ ΑΛΓΗΣ (ml)	40	120	200

INFORMATION SHEET

CLARIFIER

aqualitypoolcare.com



THE PROFESSIONAL'S
#1 CHOICE

NATURAL CLEAR

NATURAL
PRODUCT

Natural Clear Clarifier 500ml Using nature's natural clarifier CHITOSAN, Natural Clear Clarifier for Spas/Hot tubs, Splash pools and MINI Piscinas will help keep your water clean and sparkling clear. Works with all filtration systems, especially above ground pools with cartridge filters. Non-Toxic, 100% Natural and biodegradable. Specially formulated in Germany for Hot Tubs, Spas and Splash pools.

Always check that your water is correctly balanced

- **pH:** 7.2-7.6
- **Chlorine levels:** 1-2 ppm
- **Stabilizer:** 30-80 ppm

DIRECTIONS

- Add the required amount of Natural Clear Clarifier directly into the water whilst pump is working. For best results use Natural Clear Clarifier on a weekly basis.
- Clean Filter as per manufacturer's instructions before using this product.

CONTAINS: Proprietary Natural Polymeric Formula

TIP: Aquality Cartridge Cleaner will help keep cartridge filters clean from dirt and grease.

Pool+SpaCare

MINI ΠΙΣΙΝΕΣ
+ SPA
SPLASH POOLS



POOL VOLUME (ltr) ΧΩΡΗΤΙΚΟΤΗΤΑ (λτρ)	1000	2500	5000
WEEKLY DOSAGE (ml) ΕΒΔΟΜΑΔΙΑΙΑ ΔΟΣΟΛΟΓΙΑ (ml)	25	50	100
DOSE RATE FOR CLOUDY POOLS (ml) ΔΟΣΟΛΟΓΙΑ ΓΙΑ ΘΟΛΕΣ ΠΙΣΙΝΕΣ (ml)	50	100	200

AQUALITY INCORPORATED LTD

TELEPHONE (+357) 26 220 678 EMAIL info@aqualitypoolcare.com ADDRESS 1 Roumelis Street, Mesoyi Road, Pafos - Cyprus

INFORMATION SHEET

SPECIALITY CHEMICALS

aqualitypoolcare.com



THE
PROFESSIONAL'S
#1 CHOICE

FOAMGONE

Due to high bathing temperature in Spas and hot tubs, the likely hood of foaming increases due to the reaction of alkalinity together with body fats and cosmetic residues such as shampoo and creams. Foam gone will offer instant results and works on all types of hot tubs, sanitizers, and filtration systems.

DIRECTIONS

Shake well and add 30ml of Foam Gone directly into the water, if foam is persistent, repeat the process.

Please note, It is good practise to regularly clean the spa filter. Scum and residue can build up causing filtration issues. It should also be noted that the water in the spa should be replaced with fresh water every 3-4 months depending on frequency of use.

PRODUCT CONTAINS: Aqua, and modified siloxanes

ΜΙΝΙ ΠΙΣΙΝΕΣ
SPLASH POOLS
+ SPA



THE
PROFESSIONAL'S
#1 CHOICE

CARTRIDGE FILTER CLEANER

Wear gloves when using this product and please read the safety guide below for more information. A calm, non-windy day is best when using this product. Remove the filter from its compartment/housing. Using a hose remove as much loose debris as possible. Liberally spray the filter with the cartridge cleaner and be sure to get into the creases and crevasses. Leave to work for at least 15 minutes out of direct sunlight. Wash again with a hose removing all the grease and grime ensuring that there is no more soapy residue and completely clean. Repeat process if necessary. Return filter to housing compartment and use as normal

DANGER

CONTAINS: <5% Non-ionic surfactants, Caprylyl/Capryl Glucoside, <5% tetrasodium ethylenediaminetetraacetate, 5-15% sodium hydroxide.

HAZARD STATEMENTS

H314 Causes severe skin burns and eye damage.

PRECAUTIONARY STATEMENTS

If medical advice is needed, have product container or label at hand / Keep out of reach of children / Read label before use / Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking / IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower / IF IN EYES: Rinse cautiously with water for several minutes / Remove contact lenses, if present and easy to do. Continue rinsing / Immediately call a POISON CENTER / doctor / Store locked up / Dispose of contents / container in accordance with local / regional / national / international regulations.

ΜΙΝΙ ΠΙΣΙΝΕΣ
SPLASH POOLS
+ SPA



THE PROFESSIONAL'S #1 CHOICE

POOL RESCUE SUPERFLOC

EMERGENCY FLOCCULANT
RAPID RESULTS
PROFESSIONALS CHOICE

High Performance Polymeric Flocculant. Its Powerful cationic properties will insure incredible coagulation and flocculation in demanding situations. Pool Rescue will help turnaround the most difficult turbid pool water within 6 to 24 hours. Will also help remove metals and other suspended matter with ease when filters struggle to capture micro particle size. A must for all pool owners and professionals when emergency backup is needed.

CLOUDY WATER

As a guideline for 50m³ SWIMMING POOL, add 500ml of POOL RESCUE in a bucket of water and distribute around the perimeter of the pool. Run pump for approx. 2 hours and then switch off and leave overnight to settle. Backwash the filter the following day and vacuum to waste the dropped debris. Repeat process if necessary or return swimming pool to normal filtration.

GREEN AND CLOUDY WATER

If the pool is both cloudy and green first add a strong quality Algaecide and shock the pool with a chlorine-based product. Run the pool pump for at least 1 hour before following the procedure above.

REMEMBER:

Never swim in highly chlorinated water. Always test and ensure correct pool levels before swimming.

- **Chlorine:** 1-2 PPM
- **pH:** 7.2-7.6
- **Stabilizer** (Cyanuric Acid): 30-80 PPM

H319: Causes serious eye irritation **H315:** Causes skin irritation
P264: Wash thoroughly after handling **P280:** Wear protective gloves/protective clothing/eye protection/face protection
P332+313: If skin irritation occurs: Get medical advice/attention
P362 Take off contaminated clothing **P337+313:** If eye irritation persists get medical advice/attention **P302+352:** IF ON SKIN: Wash with plenty of water **P337+313:** If eye irritation persists get medical advice/attention **P305+351+338:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do, continue rinsing

PRODUCT CONTAINS: Aluminium hydroxychlorosulphate, PolyDADMAC

POOL VOLUME (ltr) ΧΡΗΜΤΙΚΟΤΗΤΑ (λτρ)	50,000	75,000	100,000
NORMAL USE (ml) ΔΟΣΟΛΟΓΙΑ (ml)	500	750	1500



INFORMATION SHEET

SPA FRAGRANCE

aqualitypoolcare.com



Sit back and immerse yourself in the beautiful aromas from Aquality Spa fragrance range.

As a guide, just add 50ml directly into the Hot tub spa for a truly relaxing and entrancing experience.

Let your stress and woes fade away!

JASMINE

PRODUCT CONTAINS AMONG OTHER

Aqua, Propylene Glycol, Tocopherol Acetate, Phenoxylethanol, Parfum

LEMON GRASS

PRODUCT CONTAINS AMONG OTHER

Aqua, Propylene Glycol, Tocopherol Acetate, Phenoxylethanol, Parfum

BERGAMOT

PRODUCT CONTAINS AMONG OTHER

Aqua, Propylene Glycol, Tocopherol Acetate, Phenoxylethanol, Parfum



WONDERGEL POOL

- High Strength Combination clarifier.
- Very Simple to use.
- Increases filter efficiency.
- Made from nature's natural Clarifier - Chitosan.
- Removes Inorganic & Organic matter.
- Helps remove metals & sun tan oil from water too.
- Works up to one month even when dissolved.

DIRECTIONS

For best results always ensure your swimming pool is correctly balanced: **Free chlorine** 1-2ppm, **pH levels** 7.2-7.6, **Cyanuric Levels** (Stabilizer) 30-80ppm.

USING YOUR WONDEGEL

Remove from packaging and place Wondergel in the pump basket (not the skimmer) and just forget about it! Set to filtration. Wondergel will help pool keep clean and clear.

CLOUDY POOLS

Backwash your filter as per manufacturer's instructions. Follow the same procedure as above, but switch on your pump for 24 hours or until pool water is clear. The following day backwash and rinse your filter. For very cloudy pools repeat the process.

SAFETY PRECAUTIONS

- Keep all chemicals away from children.
- Not for human consumption.
- Keep away from food.
- If swallowed always seek medical advice.
- Do not mix with any other chemicals.
- Store in a dry place away from direct sunlight and heat.
- Product can be slippery if left on floor surface.

**X1 WONDERGEL CAN TREAT
A POOL UP TO 100,000 LTR**





TELEPHONE. +357 26 944 114 (*Pafos*) / +357 97 710 190 (*Coral Bay*)
ADDRESS. 1 Roumelis Street, Mesoyi Road, Pafos - Cyprus
EMAIL. shipshape@cytanet.com.cy